



CHILD PROOF THREADED CAP

<i>Cavities</i>	32	<i>Cycle Time</i>	7 sec
<i>Ejection System</i>	Unscrewing Patented System	<i>Mould Dimension</i>	446x696x598
<i>Injection System</i>	Fully Hot Runner Hot Tip	<i>Part Weight</i>	1.7 gr.




STREAP MONODOSE

<i>Cavities</i>	20	<i>Cycle Time</i>	12 sec
<i>Ejection System</i>	Slide and Ejection Plate	<i>Mould Dimension</i>	396x596x451
<i>Injection System</i>	Fully Hot Runner Hot Tip	<i>Part Weight</i>	2.4 gr.




DOSER CAP

<i>Cavities</i>	12	<i>Cycle Time</i>	7 sec
<i>Ejection System</i>	Ejection plate	<i>Mould Dimension</i>	396x646x435
<i>Injection System</i>	Fully Hot Runner Hot Tip	<i>Part Weight</i>	7.6 gr.



LINER RING

<i>Cavities</i>	32	<i>Cycle Time</i>	4.7 sec
<i>Ejection System</i>	Fast Sector Slide	<i>Mould Dimension</i>	446x696x595
<i>Injection System</i>	Fully Hot Runner Hot Tip	<i>Part Weight</i>	1.1 gr.



T.E. 18 SCREW CAP

<i>Cavities</i>	32	<i>Cycle Time</i>	9.6 sec
<i>Ejection System</i>	Unscrewing and slides	<i>Mould Dimension</i>	546x696x627.66
<i>Injection System</i>	Fully hot runner valve gate	<i>Part Weight</i>	1.79 gr.



T.E. CHILD PROOF 28 SCREW CAP

<i>Cavities</i>	16	<i>Cycle Time</i>	8.4 sec
<i>Ejection System</i>	Slide and Ejection Plate	<i>Mould Dimension</i>	446x746x365.74
<i>Injection System</i>	Fully Hot Runner Hot Tip	<i>Part Weight</i>	2.9 gr.

